




IQ Wave SP

**Komfort uden at gå på kompromis til kontor og uddannelse.
En logisk udvidelse af IQ wave-seiren til påbygget og
nedhængt**

- Design: Form følger funktion. Enkle og flydende linjer skaber en moderne, men enkel æstetik, der er perfekt til en elegant kontorindretning.
- Optik: Den innovative og Thorns patenterede MV tech-optik giver fremragende ensartethed og blændingskontrol, direkte/indirekte lys til oplysning af overflader og vægge for at fremme et komfortabelt, kommunikativt arbejdsmiljø.
- Lysstyring: Integrerede sensorer gør det muligt for dig at oprette fleksible lysstyringssystemer, der passer til dine behov. Trådløs løsning styres via appen med Bluetooth® 4.x - basicDim Wireless. Integrerede PIR- og mikrobølgesensorer fås også.
- Yderligere sensor-, styresystems-, trådløse, lednings- og monteringsmuligheder er tilgængelige gennem myProduct
- Versions adapted for mounting onto Contus trunking available.



Fotografier, stregtegninger og fotometriske data er udelukkende repræsentative. Vælg et individuelt produkt for at få specifikke produktoplysninger.



96629272

Material/Finish

Frame and end caps: polycarbonate.
Diffuser and body: polycarbonate, aluminium heatsink.
Gear tray: pre-coated white steel with polycarbonate endcaps.
Contus adapter: pre-coated roll form steel, white (similar to RAL9016).

Installation/montering

Suspended:
Suitable for suspension with included Y suspension Kit and pre-assembled power cord.
Surface:
Suitable for direct surface or BESA mounting, central or end-cap cable entries.
Continuous run:
Standard products can be connected via optional continuous run Kit. Through wiring versions are available.
Contus Trunking:
Versions adapted for Contus trunking come pre-assembled, ready to fit quickly and easily with twist & lock mechanical/electrical connections.

IQ Wave SP

Bestillingsvejledning Tilgængelige varianter via myProduct

Beskrivelse	ILCOS kode	Sokkel	Vægt (kg)	SAP nummer	Kat. nr.
IQ Wave Surface, dæmpbar					
IQ SURF S LED2600-830 HFIX	LED		4,1	96628940	9008709971790
IQ SURF S LED2600-840 HFIX	LED		4,1	96628941	5037319361831
IQ SURF S LED4250-830 HFIX	LED		4,1	96628942	5037319361848
IQ SURF S LED4250-840 HFIX	LED		4,1	96628943	5037319361855
IQ SURF L LED4250-830 HFIX	LED		5	96628944	5037319361862
IQ SURF L LED4250-840 HFIX	LED		5	96628945	5037319361879
IQ SURF L LED4900-830 HFIX	LED		5	96628946	5037319361886
IQ SURF L LED4900-840 HFIX	LED		5	96628947	5037319361893
IQ SURF L LED6700-830 HFIX	LED		5	96628948	5037319361909
IQ SURF L LED6700-840 HFIX	LED		5	96628949	5037319361916
IQ Wave overflade, dæmpbar (varianter)					
IQ SURF L LED6700-830 HFIX ASY	LED		5,1	96629310	5037319369653
IQ SURF L LED4250-840 HFIX ASY	LED		5,1	96629836	5037319397144
IQ SURF L LED4250-830 HFIX ASY	LED		5,1	96629837	5037319397151
IQ SURF L LED4900-840 BC	LED		5,1	96631045	5037319491002
IQ Wave Surface, dæmpbar, nødllys					
IQ SURF L LED6700-840 HFIX E3TX-C	LED		5,7	96629295	5037319369684
IQ SURF L LED6700-840 HFIX E3TX-B	LED		5,7	96629296	5037319369691
IQ SURF S LED2600-840 HFIX E3-B	LED		4,7	96629831	5037319397090
IQ SURF S LED4250-840 HFIX E3-B	LED		4,7	96629832	5037319397106
IQ SURF L LED4250-840 HFIX E3-B	LED		5,7	96629833	5037319397113
IQ SURF L LED4900-840 HFIX E3-B	LED		5,7	96629834	5037319397120
IQ SURF L LED6700-840 HFIX E3-B	LED		5,7	96629835	5037319397137
IQ Wave Surface					
IQ SURF S LED2600-840 HF WH	LED		4	96629267	5037319368830
IQ SURF S LED4250-830 HF	LED		4	96629268	5037319368847
IQ SURF S LED4250-840 HF WH	LED		4	96629269	5037319368854
IQ SURF L LED4250-830 HF	LED		4,9	96629270	5037319368861
IQ SURF L LED4250-840 HF WH	LED		4,9	96629271	5037319368878
IQ SURF L LED4900-830 HF	LED		4,9	96629272	5037319368885
IQ SURF L LED4900-840 HF WH	LED		4,9	96629273	5037319368892
IQ SURF L LED6700-830 HF	LED		4,9	96629274	5037319368908
IQ SURF L LED6700-840 HF WH	LED		4,9	96629275	5037319368915
IQ SURF L LED6700-840 HF ASY	LED		4,9	96629309	5037319369646
IQ SURF S LED2600-830 HF	LED		4	96629266	9008709987746
IQ Wave Surface, nødllys					
IQ SURF S LED4250-840 HF E3-C	LED		4,6	96629292	9008709990371
IQ SURF S LED4250-840 HF E3-B	LED		4,6	96629294	5037319369677
IQ SURF S LED2600-840 HF E3-B	LED		4,1	92902800	
IQ SURF L LED6700-840 HF E3-B	LED		4,6	92904837	
IQ SURF L LED4900-840 HF E3 TW	LED		5	92901703	
IQ SURF L LED4900-840 HF E3-B WH	LED		5	92906599	
IQ SURF S LED2600-840 HF E3-C	LED		4,1	92901823	

IQ Wave SP

Beskrivelse	ILCOS kode	Sokkel	Vægt (kg)	SAP nummer	Kat. nr.
IQ SURF L LED4250-840 HF E3-C	LED		5	92901912	
IQ SURF L LED4900-840 HF E3-C	LED		5	92902259	
IQ SURF L LED4900-830 HF E3-C WH	LED		5	92907054	
IQ SURF L LED6700-840 HF E3TX-B WH	LED		4,6	92907855	
IQ SURF L LED4250-840 HF E3-B	LED		5,5	92902793	
IQ SURF L LED6700-840 HF E3TX-C WH	LED		4,6	92909350	
IQ Wave Surface, sensor					
IQ SURF S LED4250-840 MWS	LED		4,1	96629300	5037319369554
IQ SURF L LED6700-840 MWS	LED		5,1	96629301	5037319369561
IQ SURF L LED6700-840 HFSX	LED		5,1	96629305	5037319369608
IQ Wave Suspended, dæmpbar					
IQ SUSP S LED6700-840 HFIX ML5 WH	LED		4,4	96628957	9008709971813
IQ SUSP S LED2600-830 HFIX ML5	LED		4,4	96628950	5037319361923
IQ SUSP S LED2600-840 HFIX ML5	LED		4,4	96628951	5037319361930
IQ SUSP S LED4250-830 HFIX ML5	LED		4,4	96628952	5037319361947
IQ SUSP S LED4250-840 HFIX ML5 WH	LED		4,4	96628953	5037319361954
IQ SUSP S LED4900-830 HFIX ML5	LED		4,4	96628954	5037319361961
IQ SUSP S LED4900-840 HFIX ML5	LED		4,4	96628955	5037319361978
IQ SUSP S LED6700-830 HFIX ML5	LED		4,4	96628956	5037319361985
IQ Wave nedhængt, dæmpbar (varianter)					
IQ SUSP S LED4250-830 HFIX HU SWD ML3	LED		4,5	96629308	5037319369639
IQ SUSP S LED2600-830 HFIX HU ML5	LED		4,5	96629838	5037319397168
IQ SUSP S LED4900-830 HFIX HU ML5	LED		4,5	96629843	5037319397212
IQ SUSP S LED6700-840 HFIX HU ML5	LED		4,5	96629846	5037319397243
IQ SUSP S LED4900-840 BC ML3	LED		4,5	96631046	5037319491019
IQ SUSP S LED6700-840 BC ML3	LED		4,5	96631047	5037319491026
IQ SUSP S LED4900-830 HFIX SWD SR2	LED		5,2	92901626	5037319494096
IQ Wave Suspended, dæmpbar, nødllys					
IQ SUSP S LED6700-840 HFIX E3TX ML6	LED		5,1	96629299	5037319369547
IQ SUSP S LED4250-840 HFIX E3 ML6	LED		5,1	96629839	5037319397175
IQ SUSP S LED4250-830 HFIX E3 ML6	LED		5,1	96629840	5037319397182
IQ SUSP S LED4900-840 HFIX E3 ML6	LED		5,1	96629841	5037319397199
IQ SUSP S LED4900-830 HFIX E3 ML6	LED		5,1	96629842	5037319397205
IQ SUSP S LED6700-840 HFIX E3 ML6	LED		5,1	96629844	5037319397229
IQ SUSP S LED6700-830 HFIX E3 ML6	LED		5,1	96629845	5037319397236
IQ Wave Suspended, dæmpbar, gennemtrådning					
IQ SUSP S LED2600-840 HFIX TW6	LED		5,2	92901541	
IQ SUSP S LED4250-840 HFIX TW6	LED		4,7	92901672	
IQ SUSP S LED4900-830 HFIX TW6	LED		4,3	92903966	
IQ Wave Suspended, basicDIM, nødbelysning					
IQ SUSP S LED6700-840 BC E3 ML4	LED		5	92902253	
IQ Wave Suspended					
IQ SUSP S LED2600-830 HF ML3	LED		4,3	96629276	5037319368922

IQ Wave SP

Beskrivelse	ILCOS kode	Sokkel	Vægt (kg)	SAP nummer	Kat. nr.
IQ SUSP S LED2600-840 HF ML3 WH	LED		4,3	96629277	5037319368939
IQ SUSP S LED4250-830 HF ML3	LED		4,3	96629278	5037319368946
IQ SUSP S LED4250-840 HF ML3 WH	LED		4,3	96629279	5037319368953
IQ SUSP S LED4900-830 HF ML3	LED		4,3	96629280	5037319368960
IQ SUSP S LED4900-840 HF ML3 WH	LED		4,3	96629281	5037319368977
IQ SUSP S LED6700-830 HF ML3	LED		4,3	96629282	5037319368984
IQ SUSP S LED6700-840 HF ML3 WH	LED		4,3	96629283	5037319368991
IQ Wave nedhængt (varianter)					
IQ SUSP S LED2600-830 HF HU ML3	LED		4,4	96629297	5037319369523
IQ SUSP S LED4900-840 HF HU SWD ML3 WH	LED		0	92906000	
IQ Wave Suspended, nødllys					
IQ SUSP S LED4250-840 HF E3 ML4	LED		4,9	92901533	
IQ SUSP S LED2600-840 HF E3 ML4	LED		4,3	92901779	
IQ SUSP S LED6700-840 HF E3 ML4	LED		4,15	92901741	
IQ SUSP S LED4900-840 HF E3 ML4	LED		6,5	92903056	
IQ SUSP S LED2600-840 HF E3TX TW6	LED		5,2	92904117	
IQ SUSP S LED6700-840 HF E3TX TW6	LED		8,5	92904594	
IQ SUSP S LED4900-840 HF E3TX TW6 WH	LED		4,5	92911541	
IQ Wave Suspended, sensor					
IQ SUSP S LED6700-830 HFSX ML5	LED		4,5	96629307	5037319369622
IQ Wave Suspended, gennemtrådning					
IQ SUSP S LED2600-840 HF TW6	LED		5,2	92901666	
IQ Wave Accessories					
REMOTECONTROL IR6			0,019	28000647	
IQ SUSP connection kit standard WH			0,6	96629284	9008709987753
IQ SUSP connection kit sensor WH			0,7	96629285	9008709987760
IQ SURF connection kit standard WH			0,5	96629286	9008709987777
IQ SURF connection kit sensor WH			0,6	96629287	9008709987784
IQ SUSP connection kit emergency WH			0,6	96630057	
IQ SURF connection kit emergency WH			0,6	96630058	5037319406259
IQ SUSP CEILING ROSE			1,5	96630258	
IQ SURF ASYM BRA MWA			0,05	96630389	5037319437475
basicDIM ILD G2 PROGRAMMER			0,04	28003484	
IQ Wave, indbygningspaneler					
IQ WAVE INFILL 385 WH			1,4	96629772	5037319386889
IQ WAVE INFILL 565 WH			2	96629773	5037319386896
IQ WAVE INFILL 954 WH			3,2	96629774	5037319386902
IQ WAVE INFILL 1131 WH			3,8	96629775	5037319386919
IQ WAVE INFILL 1431 WH			4,7	96629776	5037319386926